## GOVERNMENT OF ANDHRA PRADESH ABSTRACT

Public Services – Municipal Administration Department – Sri G.Pandu Ranga Rao, the then Executive Engineer, Ongole Municipal Corporation and presently working as Executive Engineer, Nandyal Municipality - Departmental Proceedings under Rule-20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 – Article of charges - Issued.

MUNICIPAL ADMINISTRATION AND URBAN DEVELOPMENT (Vig.I.1) DEPARTMENT

G.O.RT.No. 353

<u>Dated:20-05-2015</u> Read:-

G.O. Rt. No. MA&UD (VIG.I) Dept. dt.20.05.2015.

## ORDER:

It is proposed to hold an enquiry against Sri G.Pandu Ranga Rao, the then Executive Engineer, Ongole Municipal Corporation and presently working as Executive Engineer, Nandyal Municipality in accordance with the procedure laid down in Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991.

- 2. The statement of articles of charges and statement of imputations of conduct of misbehaviour in respect of which the inquiry is proposed to be held is set out in the enclosed Annexures I&II. A list of documents by which and a list of witnesses by whom, the articles of charges proposed to be sustained are also enclosed in Annexures III & IV.
- 3. Sri G.Pandu Ranga Rao, the then Executive Engineer, Ongole Municipal Corporation and presently working as Executive Engineer, Nandyal Municipality is directed to submit his written statement of his defense within 10 days from the date of receipt of this order.
- 4. Sri G.Pandu Ranga Rao, the then Executive Engineer, Ongole Municipal Corporation and presently working as Executive Engineer, Nandyal Municipality informed that an inquiry will be held only in respect of those articles of charges as are not admitted. He should, therefore, specifically admit or deny each article of charge.
- 5. Sri G.Pandu Ranga Rao, the then Executive Engineer, Ongole Municipal Corporation and presently working as Executive Engineer, Nandyal Municipality is further informed that if he does not submit his written statement of defence on or before the date specified in para 3 above further action will be processed based on the material available.
- 6. Attention of Sri G.Pandu Ranga Rao, the then Executive Engineer, Ongole Municipal Corporation and presently working as Executive Engineer, Nandyal Municipality is invited to Rule 24 of the Andhra Pradesh Civil Services (conduct) Rules, 1964, under which no Government Servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt within these proceedings it will be

presumed that above said Sri G.Pandu Ranga Rao, the then Executive Engineer, Ongole Municipal Corporation and presently working as Executive Engineer, Nandyal Municipality is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule-24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964.

- 7. The Commissioner & Director of Municipal Administration, A.P., Hyderabad is directed to furnish copies of documents as per Annexure III to Sri G.Pandu Ranga Rao, the then Executive Engineer, Ongole Municipal Corporation and presently working as Executive Engineer, Nandyal Municipality.
- 8. The receipt of the G.O. may be acknowledged.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

G.JAYALAKSHMI SECRETARY TO GOVERNMENT

To

Sri G.Pandu Ranga Rao, the then Executive Engineer,
Ongole Municipal Corporation and presently working as Executive Engineer,
Nandyal Municipality (through the ENC (PH), A.P., Hyderabad)
The Engineer-in-Chief (PH), A.P., Hyderabad.

Copy to:

The Commissioner & Director of Municipal Administration, A.P., Hyderabad SF/SC.

//FORWARDED BY ORDER//

SECTION OFFICER